

CLAIMS

5
1.- Preparation for veterinary use, characterised in that it includes at least one keratolytic and cerumenilytic cleaning agent, at least one bactericide agent, at least one yeast control agent and at least one anti-irritant and anti-pruriginous agent.

10 2.- Preparation according to claim 1, characterised in that it also includes at least one agent that enhances its cerumenilytic properties.

15 3.- Preparation according to either of the previous claims, characterised in that it also includes at least one vegetable extract with antiseptic and cicatrizant properties.

20 4.- Preparation according to any of the previous claims, characterised in that it also includes at least one deodorant agent.

25 5.- Preparation according to any of the previous claims, characterised in that the agent with keratolytic and cerumenilytic cleaning effects is lactic acid, salicylic acid or a mixture of the two.

30 6.- Preparation according to any of the previous claims, characterised in that the bactericide agent is *Cetraria islandica* extract.

7.- Preparation according to any of the previous claims, characterised in that the yeast control agent is lactic acid, salicylic acid or a mixture of the two.

35 8.- Preparation according to any of the previous

204110 331400

Sub
A-11

claims, characterised in that the anti-irritant and anti-pruriginous agent is a *Cucumis sativus* vegetable extract.

5 9.- Preparation according to any of the previous claims, characterised in that the agent that enhances the cerumenolytic effect is oleic acid.

10 10.- Preparation according to any of the previous claims, characterised in that the vegetable extract is *Mimosa tenuiflora* extract, *Cetraria islandica* extract, *Camomilla recutita* extract or a mixture of them.

15 11.- Preparation according to any of the previous claims, characterised in that the deodorant agent is *Cetraria islandica* extract.

20 12.- Preparation according to any of claims 1 to 11, characterised in that it includes between 65 and 80% weight of propylene glycol or butylene glycol, or a mixture of both; between 10 and 15% weight of polyethylene glycol 400; between 2 and 10% weight of ethoxydiglycol; between 1 and 5% weight of de-ionised water; between 2 and 5% weight of glycerine of diglycerol, or a mixture of both; between 1 and 4% weight of lactic acid; between 1 and 6% weight of *Cucumis sativus* extract, *Cetraria islandica* extract, *Mimosa tenuiflora* extract and/or *Camomilla recutita* extract, or a mixture of them; between 0.1 and 0.5% weight of oleic acid; and between 0.1 and 0.5% weight of salicylic acid.

35 13.- Use of the preparation according to claims 1 to 11 for obtaining otic drugs for veterinary purposes.

5

~~WAB~~

~~WAB~~

[illegible]